

TWTC Exhibition Hall 1, Ground Floor

台北世界貿易中心 Taipei World Trade Center 展覽大樓一樓展場攤位平面圖 Ground Level Standard Floor Plan

- A區:** (3M X 3M 攤位數: 378) 378 units (3M X 3M)
- B區:** (3M X 3M 攤位數: 367) 367 units (3M X 3M)
- C區:** (3M X 3M 攤位數: 324) 324 units (3M X 3M)
- D區:** (3M X 3M 攤位數: 232) 232 units (3M X 3M)

Main aisles are 6 meter wide 六米走道

Booth Size: 3m X 3m (攤位上有水泥柱者, 實際面積不足9平方公尺)

Floor Loading: 1,300 kg/m²

Exhibits Entrance A, B, C: 7.5m (wide) X 4.2m (high)

Ceiling Height: 6.7m

--- Dotted line (---) indicates different areas.

區域分界線 (分區隔鄰設置位置)

▲ Pillars 水泥柱 (3m X 3m), 每支寬度不一, 請依實際丈量為準或上網查閱。

▲ Hydrant 消防箱 (內含15m水帶2條, 滅火器3只, 消防箱不得封閉, 前方不得設置攤位或堆放障礙物)

▲ Fire Extinguisher 滅火器

▲ Ticket Booth 售票亭

▲ Control Panels 電箱 (電箱前不得封閉)

▲ Public Telephones 公用電話

▲ Vending Machine 智能機

▲ Information 服務台

▲ Air Conditioner 空調箱

Areas must be kept clear at all times 保持淨空, 禁止置物及設置攤位區

1 ... Entrance 出入口編號

◎ 展場空氣品質感測器配置詳反面附圖。

Map of Ground Level Air Quality Monitors - See map on reverse side.

本圖為標準攤位圖, 僅供參考(109年1月1日起適用版)。


主辦單位所自行規劃之攤位圖, 請先送外貿協會核定。

1. This is a standard floor plan for reference only and organizer may vary in dimension and composition.

2. Organizer must submit planned floor map to TAITRA for prior consent.



Taipei Nangang Exhibition Center, Hall 1, Ground Level Exhibition Hall Plan (1F)



本圖為標準攤位位置，僅供參考。
This is a standard floor plan for reference only and organizer may vary in dimension and composition.
主辦單位所自行選擇之攤位位置，請參見外貿協會公告。
Organizer will submit planned floor map to TAIFRA for prior consent.
「包辦」攤位尺寸為寬2.4公尺，深2.0公尺。
For booth size, width 2.4m and depth 2.0m.
For locations and description of pillars on the first floor, refer to the show manual or click on www.taifairn1.com.tw to download the specifications for these booths and pillars
行李需放置至展場主辦單位提供之行李架。
Luggage should be placed upon the arrangements each exhibition organizer.


台北南港展覽館 1 館
Taipei Nangang Exhibition Center, Hall 1
——樓 展 場 平 面 圖
Ground Floor Exhibition Hall Plan(1F)

南港路一段 Nangang Rd., Sec.1

南港路一段 Nangang Rd., Sec.1

01/09/10

Taipei Nangang Exhibition Center, Hall 1, Upper Level Exhibition Hall Plan (4F)



- 樓地板載重 Floor Load Capacity: 2,000kg/m²
- 展館高度 Ceiling Height: 14m-27m
- 貨品出入口尺寸 Exhibits Entrance (WxH):
L區 Area L: 11.0m x 4.0m
M區 Area M: 11.9m x 8.5m
N區 Area N: 10.1m x 4.0m
- L區 Area L - Booth Size: 3m x 3m, 428 Units (7,560m²)
- M區 Area M - Booth Size: 3m x 3m, 450 Units (7,560m²)
- N區 Area N - Booth Size: 3m x 3m, 428 Units (7,560m²)
- 全區 Sky Dome(L+M+N)=1,306 Units
- 6.1米主走道 Main Aisle: 6.1 meters wide

- - - 區域分界線(分區隔線設置位置) Dotted Line (indicates different areas)
- ▲ 消防栓合火警綜合圖 Hydrant
- ▲ 火警綜合圖 Fire Alarm Panel
- ▲ 滅火器 Fire Extinguisher
- 電線 Electric Equipment
- 緊急出口(避難方向指示) Emergency Exit
- 1. 火警盤、滅火器、消防栓、避難方向指示燈等皆不得封閉、
Fire alarm panel, fire extinguisher, hydrant, Electric Equipment,
and all signs of the hall should not be covered.
2. 實際位置依現場為準。
Location of devices and facilities should be confirmed on site.
- ★ 水泥清洗牆面 Painting equipment washing room
- ☎ 公用電話 Pay Phone
- 📶 自動體外心臟電擊去顫器(AED) Automated External Defibrillator

1. 本圖為標準位置圖，僅供參考。
This is a standard floor plan for reference only and organizer may vary in dimension and composition.
2. 主辦單位所自行規劃之攤位圖，請先送外資協會核定。
Organizer must submit planned floor map to TAITRA for prior consent.

台北南港展覽館1館
Taipei Nangang Exhibition Center, Hall 1
雲端展場平面圖
Sky Dome Exhibition Hall Plan(4F)
2019.9.10



南港展覽館(文湖線/板南線)
MRT Taipei Nangang Exhibition Center Station (Wenhu Line/Banan Line)
南港路一段 Nangang Rd., Sec.1
Lobby (to Ground Floor Exhibition Hall)

經貿二路 Jingmao 2nd Rd.



台北南港展覽館 2 館

TAIPEI NANGANG EXHIBITION CENTER, HALL 2

一樓平面圖

1st Floor Plan


樓地板載重 Floor Load: 5.000kg/m²
展場高度 Ceiling Height: 12m
貨品出入口尺寸 Exhibit Entrance: 4.2x4.7m(h)
Q區 Area Q
Booth Size: 3x3m, 439 Units (7,560m²)
P區 Area P
Booth Size: 3x3m, 439 Units (7,560m²)
全區 Area (P+Q) = 878 Units

- 區域分界線 Dotted Line (Indicates different areas)
- 柱 Pillar Size: 1.5x1.5m
- 消防栓 (含火警綜合盤) Fire Hydrant
- 火警綜合盤 Fire Alarm Panel
- 滅火器 Fire Extinguisher
- 水漆洗滌區 Painting equipment washing area
- 自動體外心臟電擊去甦器 AED

- 火警盤、滅火器、消防栓、電箱、灑水開關、CO/CO2偵測器及避難方向指示燈皆不得封閉。
Fire alarm panel, fire extinguisher, fire hydrant, power breaker, sprinkler switch, CO/CO2 sensor and air related signage in the hall should not be covered.
- 實際位置依現場為準。
Location of devices and facilities should be confirmed on site.

經貿二路
Jingmao 2nd Rd.

經貿二路62巷 Lane 62, Jingmao 2nd Rd.





台北南港展覽館2館

TAIPEI NANGANG EXHIBITION CENTER, HALL 2

四樓平面圖

4th Floor Plan

樓地板載重 Floor Load: 2,000kg/m²
展場高度 Ceiling Height: 9m
貨品出入口尺寸 Exhibit Entrance: 4.2x4.7m(H)
■ R區 Area R
■ S區 Area S
Booth Size 3x3m, 451 Units (7,560m²)
Booth Size 3x3m, 451 Units (7,560m²)
全區 Area (R+S) = 902 Units

- 區域分界線
- Dotted Line (Indicates different areas)
- 柱 Pillar Size: 1.5x1.5m
- △ 消防栓 (含火警綜合盤) Fire Hydrant
- ▲ 火警綜合盤 Fire Alarm Panel
- ▲ 滅火器 Fire Extinguisher
- 水漆洗滌區 Painting equipment washing area
- 機房 Mech. Room
- 自動體外心臟電擊去顫器 AED

1、火警盤、滅火器、消防栓、電鐘、灑水開關、CO/CO2偵測器及煙塵方向指示燈皆不得封閉。
Fire alarm panel, fire extinguisher, fire hydrant, power breaker, sprinkler switch, CO/CO2 sensor and all related signage in the hall should not be covered.

2、實際位置依現場為準。
Location of devices and facilities should be confirmed on site.

- 1、本圖為標準攤位圖，僅供參考。
This floor plan is for reference only, dimensions and composition are subject to change.
- 2、主辦單位所自行規劃之攤位圖，請先送外貿協會核定。
Show organizer must submit planned floor map to TAITRA for prior consent.
- 3、四樓展場包柱位置及詳細尺寸，請另詳各展參展手冊或至台北南港展覽館官方網站 (www.taiwanexpo2.com.tw)「表單下載」處，詳閱「4樓展場包柱示意圖」。
For locations and specifications of pillars on each floor, refer to the show manual or visit www.taiwanexpo2.com.tw to download the 1st floor booths and pillars location map.
- 4、行李寄放室由展覽單位自行規劃提供。
Luggage storage is only provided per arrangement by show organizer.

